



Maybridge Chiral Resolution Screening and Purification Kits

Offering rapid access to optically pure
chiral compounds



Maybridge Chiral Resolution Screening and Purification Kits

Introduction

Diastereomeric crystallization is a commonly used effective process to obtain optically pure chiral compounds from their racemic mixtures. However, choosing the optimal conditions for the process; e.g., combination of resolving agents and solvents, is time-consuming, tedious and labor-intensive.

Maybridge Chiral Resolution Screening and Purification kits provide scientists with a quick and systematic approach to find the best separation conditions under which the target compound can be isolated with the highest yield and optical purity.

Key features and benefits

- **Rapid Screening** – the kits include 384 different combinations of resolving agents and solvents, increasing the chances of finding the optimal separation conditions
- **High Performance** – development time reduced to one day
- **Efficient** – as little as 0.4mmol of racemate required
- **Ready to Use** – resolving agents and solvents are pre-dispensed in 96-well plates
- **Convenient** – the screening kits provide positive results identifiable by a quick visual or optical inspection, and the purification and recovery kit allows easy recovery and purification of the enantiomers




Types of Chiral Resolution Screening and Purification Kits


Product name	Description	Selection guide	Amount racemate required	Plate type	Product code
Maybridge Chiral Resolution Screening Kit for base racemates	<ul style="list-style-type: none"> • 4 x 96 plates containing 32 different acidic resolving agents • 4 x 96 plates containing 12 different solvents 	Identifies optimal conditions for resolving base chiral compounds (e.g., amines)	12.0mmol	Plastic	CSA05004P
			0.4mmol	Glass	CSA05004G
Maybridge Chiral Resolution Screening Kit for weak base Racemates	<ul style="list-style-type: none"> • 2 x 96 plates containing 32 different strong acidic resolving agents • 2 x 96 plates containing 12 different solvents 	Identifies optimal conditions for resolving weak base chiral compounds (e.g., amines)	12.0mmol	Plastic	CSA05004STRG
			0.4mmol	Glass	CSA05004GSTRG
Maybridge Chiral Resolution Screening Kit for acid racemates	<ul style="list-style-type: none"> • 4 x 96 plates containing 32 different basic resolving agents • 4 x 96 plates containing 12 different solvents 	Identifies optimal conditions for resolving acid chiral compounds (e.g., carboxylic acids)	12.0mmol	Plastic	CSB05004P
			0.4mmol	Glass	CSB05004G
Maybridge Chiral Purification and Recovery Kit for base racemates	<ul style="list-style-type: none"> • 1 x 200mL recovery solution for recovery of the resolved racemates • 2 x 250mL bottles for filtration and purification • 1 filter funnel • 1 pack of pH paper 	Used in conjunction with the screening kits, this kit provides the components necessary to recover and purify the chiral isomers from base racemates			CSA08004B
Maybridge Chiral Purification and Recovery Kit for acid racemates	<ul style="list-style-type: none"> • 1 x 200mL recovery solution for recovery of the resolved racemates • 2 x 250mL bottles for filtration and purification • 1 filter funnel • 1 pack of pH paper 	Used in conjunction with the screening kits, this kit provides the components necessary to recover and purify the chiral isomers from acid racemates			CSA08004A

How the kits work


Resolution of racemic chiral acids and amines can be achieved via the crystallization of their corresponding diastereomeric salt. The racemic compound, in this example a primary amine, is treated with an enantiomerically pure organic acid (in this case a carboxylic acid but sulfonic acids can be used as well).



Under the right conditions, one of the diastereomeric formed salts will precipitate as crystals whereas the other remains in solution. It is then possible to separate the salts by filtering the precipitate and recrystallizing from a suitable solvent. Further recrystallizations are often required to achieve the desired purity of the product.




The amine can then be isolated using an alkaline aqueous work-up to give the free base.



How to use the kits

- Dissolve the racemic starting material (12.0mmol required for the plastic vials and 0.4mmol for the glass vials) in a transfer solvent and distribute among the individual vials containing the resolving agents.
- Remove the transfer solvent via evaporation.
- Transfer the crystallization solvents to vials containing the racemic starting material and resolving agents.
- Heat the entire plate to ~80C for up to 5 minutes until a homogenous solution is achieved. (The plate is chemically inert and able to withstand extreme temperatures.)
- Cool the solutions until crystals begin to appear (either room temperature or in an ice/water bath).
- Analyze the crystals to identify which combination of resolving agent and solvent is optimal.
- At any point, recover the racemic material and extract and purify individual isomers using the components provided in the Purification and Recovery Kit.

Illustrated workflow



For more information please visit our web site www.maybridge.com or contact your local distributor.

Austria

Fisher Scientific (Austria) GmbH
Rudolf von Alt-Platz 1
A-1030 Wien
Toll-Free Number: 0800 20 88 40
Fax: 0800 20 66 90
info.austria@thermofisher.com
www.at.fishersci.com

Belgium

Fisher Scientific
Clintonpark – Keppekouter
Ninovesteenweg 198
B-9320 Ereboedgem
Tel: +32 (0) 56 260 260
Fax: +32 (0) 56 260 270
be.fisher@thermofisher.com
www.be.fishersci.com

Czech Republic

Fisher Scientific, spol. s r.o.
Kosmonautů 324
CZ-530 09 Pardubice
Tel: +420 466 798 230
Fax: +420 466 435 008
info.cz@thermofisher.com
www.thermofisher.cz

Denmark

Fisher Scientific
Industrivej 3
DK-3550 Slangerup
Tel: +45 70 27 99 20
Fax: +45 70 27 99 29
kundeservice@thermofisher.com
www.fishersci.dk

Finland

Fisher Scientific Oy
Ratastie 2
FI-01620 Vantaa
Tel: +358 802 76 280
Fax: +358 802 76 235
fisher.fi@thermofisher.com
www.fishersci.fi

France

Fisher Scientific FAS
Parc d'Innovation BP 50111
67403 Illkirch Cedex
Tel: +33 (0) 3 88 67 53 20
Fax: +33 (0) 3 88 67 11 68
fr.commande@thermofisher.com
www.fr.fishersci.com

Germany

Fisher Scientific GmbH
Im Heiligen Feld 17
D-58239 Schwerte
Toll-Free Number: 0800 3 47 43 70
Fax: 0800 3 47 43 71
info.germany@thermofisher.com
www.de.fishersci.com

Ireland

Fisher Scientific Ireland
Suite 3 Plaza 212
Blanchardstown Corporate
Park 2
Ballycoolin
Dublin 15
Tel: +353 01 885 5854
Fax: +353 01 899 1855
fsie.sales@thermofisher.com
www.ie.fishersci.com

Italy

Fisher Scientific
Tel: +39 02 953 28 258
Fax: +39 02 953 27 374
it.fisher@thermofisher.com
www.it.fishersci.com

The Netherlands

Fisher Scientific
Postbus 4
Scheepshoewersweg 1b
1120 AA Landsmeer
Tel: +31 (0) 20 487 70 70
Fax: +31 (0) 20 487 70 70
nl.info@thermofisher.com
www.fishersci.nl

Norway

Fisher Scientific
Frysjaveien 33E
0884 Oslo
Tel: +47 22 95 59 59
Fax: +47 22 95 59 40
fisher.no@thermofisher.com
www.fishersci.no

Portugal

Fisher Scientific
Rua Pedro Alvares Cabral,
nº24, 3ºD
Edifício Euro - Infantado
2670-391 Loures
Tel: +351 21 425 33 50/4
Fax: +351 21 425 33 51
pt.fisher@thermofisher.com
www.pt.fishersci.com

Slovenia

Fisher Scientific d.o.o.
Parmova 53
SI-1000 Ljubljana
Tel: +386 597 31 494
Fax: +386 597 31 495
si.info@thermofisher.com
www.si.fishersci.com

Spain

Fisher Scientific
C/ Luis I, 9
28031 Madrid
Tel: +91 380 67 10
Fax: +91 380 85 02
es.fisher@thermofisher.com
www.es.fishersci.com

Sweden

Fisher Scientific
Box 9193
400 94 Göteborg
Tel: +46 31 352 32 00
Fax: +46 31 352 32 50
fisher.se@thermofisher.com
www.fishersci.se

Switzerland

Fisher Scientific AG
Wilstrasse 57
CH-5610 Wohlen
Tel: +41 (0) 56 618 41 11
Fax: +41 (0) 56 618 41 41
info.ch@thermofisher.com
www.ch.fishersci.com

United Kingdom

Fisher Scientific UK Ltd.
Bishop Meadow Road
Loughborough
Leicestershire LE11 5RG
Tel: +44 (0)1509 555500
Fax: +44 (0)1509 555111
fsuk.sales@thermofisher.com
www.fisher.co.uk

